Car MP5 Player

F133 Operation Manual





















Preface:

In order to prevent injuries and fires, pls pay attention to the following instructions:

In order to prevent short circuit and so on, do not drop the metal objects in the device.

If there is smoke or peculiar smell the device, pls turn off the power at once.

Pls do not make the device falling or strong collision. In order to prevent device failure, pls observe the following note:

Pls do not install the device in the place of strong sunlight, high temperature, high humidity or dusty.

Pls replace the fuse which is the same specification. If you are using different specification of the fuse, may cause failure of the device.

In order to prevent short circuit, pls pull out the power wire when you replace the fuse.

In order to be able at any time to deal with road and traffic conditions change, pls lower the volume when driving.

Pls do not get the device wet when washing car, this may cause short circuit, then fire or other failure will be caused.

Warning

- 1. Only connect the unit to a DC 12V power supply with negative grounding.
- 2. Never install the unit where the operation for safety driving is restrained.
- 3. Never use the video display function in the front when driving to prevent the violation of laws regulation and also to reduce the risk of traffic accident except using for rear view video camera.
- 4. Never expose the unit, amplifier, speakers to moisture or water to prevent electronic sparks or fires.
- 5.Pls don't change the fuse in the power cord without professional guidance; improper fuse may cause damage to this using unit or even cause fire.

Installation

The unit installs for security, pls install it refer to the following diagram description:

- 1.pls make the unit in proper place, connect the unit refer to the diagram, and test it works well or not.
- 2.Pls wrapped the connection line with insulation tape to ensure complete wiring after testing well.
- 3.Pls bend the hook of metal 1, and insert the metal to instrument panel then fixed it.
- 4. Put the unit into metal hook until it lock.

General Features

- TFT Touch Screen BT/FM/TF/USB Mp5 Rearview Camera
- With TF card Slot, With USB 2.0 port.
- 1080P Video Format
- Support the Audio playback format of MP3/WMA/WAV/ MKV/FLAC/OGG/APE.
- Support the Video playback format of RM/RMVB/DVD(VOB)/ VCD(DAT)/MP1/MP2/DIVX/XVID/MP4/H263/H264/FLV/3GP/ SWF/AVI/ASF/MJPEG etc;
- MOSFET amplifier: 60 watts X 4 max power output.
- FM Range: 87.5MHz~108.00MHz(Europe)
- With Remote Control
- Power-off with auto-memory store function under radio or TF/USB mode
- Clock Function
- Mute Function
- BT Function
- Bass & Treble,L&R channel stabilizer
- Aux In Function
- Rearvien camera Function
- Video input Function (displayed at the same time)
- CHARGING
- MirrorLink supports Android and Iphone

Basic operation


- 1. when use reversing rear view function.reversing video signal from the corresponding port input connection back line, when reversing will automatically switch to reversing visual state.
- Audio/Vedio input(optional)
 Connect audio/Vedio lines, press Mode can select AUX-2 state.
- 3. BT function only for the unit with BT.



You need to connect Bluetooth to open all interfaces


Use the BT functin, please Use the, phone pairing, equipment numbei:xxx, for password:0000

Wire Diagram







Pls check the speaker line carefully before installation. If any grounding or touching, pls connection again or the unit will be burned.



Remote Control Description (Optional)



Description of the steering wheel learning function



Long press the steering wheel, short press the corresponding UI, and press "ENTER" to save.

Press the "Default" key to reset

Front Panel

machine-host

1	 ≪	Last song
2	ტ/M	Press it long time to turn on/off Press it.
		Short time to enter into Switch mode.
3	≫ I	Next Song
4	□+	VOL+
5	□-	VOL-
6	MIC	Built-in microphone hole
7	RES	Reset(press with a sharp object)
8	AUX	External audio input jack
9		Screen pop-up/screen stow (select models only)
10	丝	Screen angle adjustment (select models only)
11		Return to the main interface
12	+	Return to the previous interface

Specification

SNR		65dB
Frequency response	20Hz	-20KHz
Loudspeaker impendance		$4\Omega_8\Omega$
The maximum output power		4*60W
Tone Control		
	Treble+/-7dE	3(100Hz)
FM		
FM frequency	87.5MHz~	108MHz
Sensitivity		. 25dB
Selectivity		. 60dB
Separation		

Main UI






Main UI





Main UI






MirrorLinK Function instruction:

Please don't playback video or mobile phone while driving

Connect the mobile-phone to the unit with an USB cable, Prompt interface as follows:


Mobile Phone UI



First, Please enter into the USB debug mode, and connect the USB line to the unit.when there is an interface in the unt, please press" Confirmation"then, the unit and mobile phone can show together. And you can control mobile phone directly by unit The unit only support Android 4.0-9.0 system

This product can provide MirrorLink upgrade services

Unit Interface





Mobile Phone Interface:

Allow USB debugging?

The computer's RSA key fingerprint code as follows:
 xxxxxxxxxxxxxxxxxx

 Will allow the use of this computer for debugging

Cancel confirm

Panel of some models













Android Auto or CarPlay



- 1.IOS CarPlay
- 2.IOS mirrorlink
- 3. Android Auto
- 4. Android mirrorlink

PS: Connect the host Bluetooth, select Carplay, and then follow the prompts on the screen

HOME

FM

AUX

Music

setting

movie

BT4.2

Exporer

wheel

photo

CML Play

A-AUTO


Multiple national languages



Chinese



English



French



Polish



German



Spanish



Czech



Portuguese



Thailand



Greece



Ltalian



Russian

