



BLUE DYNAMIC EFB

Key benefits



Ready for entry-level start-stop systems



Engineered to the highest German standards



Patented PowerFrame® grid for reliable starting power, fast recharge and corrosion resistance



Meets all original criteria of the car manufacturer

■ 2 times the cycle life compared to conventional VARTA batteries

For more information visit www.varta-automotive.com


ORDER INFORMATION

European Type No. (ETN):	565 500 065
Article Number:	565 500 065 D84 2
Short Code:	D54
Barcode:	4016987144558
UK Code:	100EFB
Packaging Unit:	1
Quantity per Pallet:	48


TECHNICAL INFORMATION

Voltage [V]:	12	Base Hold-down:	B13
Battery Capacity [Ah]:	65	Layout:	0
Cold Cranking Amps (CCA), EN [A]:	650	Terminal Types:	1
Length [mm]:	278	Case Size:	T6/LBN3
Width [mm]:	175	Weight filled (kg):	18,63
Height [mm]:	175		

B13




0



ENTRY-LEVEL BLUE DYNAMIC BATTERIES WITH EFB TECHNOLOGY

- Constructed with Enhanced Flooded Battery (EFB) technology
- EFB uses special polyfleece 'scrim' to hold additional active material
- Enhanced cycle performance versus conventional flooded batteries





Features	<i>SILVER dynamic AGM</i>	<i>BLUE dynamic EFB</i>
Number of battery types	5 Types	5 Types
Primary function	Advanced Start-Stop functionality	Ensures Start-Stop functionality
Cold cranking power	CCA 135 %	CCA 115 %
Battery technology	AGM – Absorbent Glass Mat	EFB – Enhanced Flooded battery
Positive grid / Negative grid	PowerFrame® / Casted grid	PowerFrame® / Expanded grid
OE quality	Meets OE requirements	Meets OE requirements
Cycling endurance	3x higher*	2x higher*
Capability of deep discharge	High*	Middle*

*Compared to conventional batteries