

STARTZILLA 4012 XT



XT
RANGE

12V



LED LIGHT



TEST



SUPPLY



START

DESCRIPTION

Multifunction electronic starter, power supply and tester, with LiFePO4 lithium battery for 12V starting of cars, vans, small boats, lorries etc.

It performs control tests on the battery: voltage at terminals, starting capacity (CCA) and operational check of the vehicle alternator.

The OVER RIDE function allows starting in emergency conditions when battery is missing (or completely down).

It is a stable and reliable power supply source for battery charges (SUPPLY function).

Robust and compact, it is equipped with high intensity LED light.

Protection against: polarity reversal, short-circuit, overvoltage (incompatible battery voltage), undervoltage (cut-off voltage), overcurrent, overheating, under-temperature, accidental contacts, alternator return currents.

Complete with starting cables and wall charge.



TECHNICAL DATA

CODE	CODE 829527	V_{PH}	CHARGE MAINS VOLTAGE 1ph 100 - 240 V		CHARGE MAINS FREQUENCY 50 / 60 Hz
C	BATTERY CAPACITY 15600 mAh	START	STARTING VOLTAGE 12 V	A_{START MAX}	MAX STARTING CURRENT 4000 A
+	100 Ah	IP	PROTECTION DEGREE IP43	LxWxH	DIMENSIONS (LxWxH) 15,5 x 23,4 x 31,8 cm
kg	WEIGHT 3,42 kg	BAR CODE	EAN CODE 8056151818027		

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST



BROCHURE