

## STARTZILLA 9024 XT



















## **DESCRIPTION**

Multifunction electronic starter, power supply and tester, with LiFePO4 lithium battery for 12V/24V starting of cars, vans, small boats, lorries etc.

It performs control tests on the battery: voltage at terminals, starting capacity (CCA) and operational check of the vehicle alternator.

The OVER RIDE function allows starting in emergency conditions when battery is missing (or completely down).

It is a stable and reliable power supply source for battery changes (SUPPLY function).

Robust and compact, it is equipped with high intensity LED light.

Protection against: polarity reversal, short-circuit, overvoltage (incompatible battery voltage), undervoltage (cut-off voltage), overcurrent, overheating, under-temperature, accidental contacts, alternator return currents.

Complete with starting cables and wall charge.















## **TECHNICAL DATA**



CODE 829525



BATTERY CAPACITY 31200 mAh



140 / 120 Ah



WEIGHT 4,33 kg



CHARGE MAINS VOLTAGE 1ph 100 - 240 V



STARTING VOLTAGE 12 / 24 V



PROTECTION DEGREE IP43



EAN CODE 8056151814623



CHARGE MAINS FREQUENCY 50 / 60 Hz



MAX STARTING CURRENT 9000 / 4500 A



DIMENSIONS (LxWxH) 15,5 x 23,4 x 31,8 cm

## **DOWNLOAD**



CATALOG IMAGE



**INSTRUCTION MANUAL** 



SPARE PARTS LIST

Telwin SPA - Via della Tecnica, 3 36030 Villaverla (VI) - ITALY

www.telwin.com





www.telwin.com STARTZILLA 9024 XT - PAG. 3/3