

DYNAMIC 320 START



DESCRIPTION

Battery charger and starter for charging free electrolyte batteries (WET) with 12V/24V voltage and starting all kinds of cars, vans and light trucks.

Features:

- choice of normal charge, quick charge (BOOST), quick start
- display of charging and starting current
- protection against overloads and polarity reversal.



TECHNICAL DATA

 CODE	CODE 829381	 SINGLEPHASE MAINS VOLTAGE 230 V	 MAINS FREQUENCY 50 / 60 Hz
 CHARGING ABSORBED POWER 1 kW	 STARTING ABSORBED POWER 6,4 kW	 CHARGE AND STARTING VOLTAG. 12 / 24 V	
 EFFECTIVE CHARGING CURRENT 45 A	 RATED CHAR.CUR.EN60335-2-29 31 A	 START CUR.1V/C EN60335-2-29 180 A	
 MAX STARTING CURRENT 300 A	 MIN.RATED REFERENCE CAPAC. 20 Ah	 MAX.RATED REFERENCE CAPAC. 700 Ah	
 ADJUSTMENT POSITIONS 3	 DIMENSIONS (LxWxH) 30,5 x 36 x 63 cm	 WEIGHT 13,4 kg	
 EAN CODE 800489773283 1	 PIECES/PALLET 18 pz/pallet	 NOTES : hjhjyhjyjhjy	

SUPPLIED ACCESSORIES



COLORADO 150B WORK CLAMP 150A
712001



COLORADO 150R POSITIVE CLAMP 150A
712002

ON REQUEST ACCESSORIES

FUSES 50A 20 PCS
802259

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



SPARE PARTS LIST