

T-CHARGE 12



Pulse *Tronic*



COLD



CHARGE



SUPPLY



RECOVERY

- Caricabatterie e Mantentore a 6-12V con controllo elettronico intelligente della corrente di carica; ideale per caricare e mantenere batterie per Auto, Moto, Scooter, Barche, ecc.
- Funzioni avanzate per la carica e mantenimento delle batterie a basse temperature e per le batterie AGM; funzione RECOVERY per il ripristino delle batterie solfatate.
- 3 programmi per la carica di Auto e Moto a 6V e 12V con 4A di potenza massima a 12V.
- Completo di pinze di carica e occhielli da fissare alla batteria con connessione rapida.
- Tecnologia di carica Pulsetronic a 8 stadi per l'ottimale trasferimento di corrente, il rispetto della batteria e il mantenimento della batteria prolungato nel tempo.

DESCRIPTION

Multifunction, battery charger and maintainer for 6/12V WET, GEL, AGM, MF, PbCa, EFB batteries.

Choice of 3 charge voltages in Pulse Tronic: 6V, 12V/1A (motos), 12V/4A (autos).

Advanced specific functions for the charge and maintenance of batteries at low temperatures and of AGM batteries.

The activation of the RECOVERY function allows for the recovery of sulphated batteries.

Features:

- Automatic charge and maintenance in Pulse Tronic;
- 3 charge voltages;
- Led visualization of the charge level;
- AGM function for the charge and maintenance of AGM batteries;
- COLD function to charge and maintain batteries at low temperatures;
- RECOVERY function to recover sulphated batteries;
- Protections against overloads, shortcircuit and polarity reversal.

Equipped with cable with clamps and cable with eyelets.



TECHNICAL DATA

CODE	CODE 807567	V_{1PH}	SINGLEPHASE MAINS VOLTAGE 230 V	F	MAINS FREQUENCY 50 / 60 Hz
P	CHARGING ABSORBED POWER 55 W		CHARGING VOLTAGE 6 / 12 V	A_{EFF}	EFFECTIVE CHARGING CURRENT 1 / 4 A
A_{EN}	RATED CHAR.CUR.EN60335-2-29 1 / 4 A		MIN.RATED REFERENCE CAPAC. 2 Ah		MAX.RATED REFERENCE CAPAC. 70 Ah
IP	PROTECTION DEGREE IP65		DIMENSIONS (LxWxH) 17 x 6,5 x 3,5 cm		WEIGHT 0,6 kg
BAR CODE	EAN CODE 800489798045 4		PIECES/PALLET 432 pz/pallet		PIECES/PALLET-B 288 pz/pallet B

DOWNLOAD



CATALOG IMAGE



INSTRUCTION MANUAL



BROCHURE