according to Regulation (EC) No 1907/2006

# **FERTAN Motorreiniger**

Revision date: 23.11.2020 Product code: 71304 71404 Page 1 of 11

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

FERTAN Motorreiniger UFI: PYJ0-Y011-N00W-2K5S

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Use of the substance/mixture

Engine cleaner / Grease remover

### Uses advised against

Any non-intended use.

### 1.3. Details of the supplier of the safety data sheet

Company name: FERTAN Korrosionsschutz Vertriebsgesellschaft GmbH Street: Industriepark AW-Hallen - Saar Lor Lux Strasse 14

Place: D-66115 SAARBRUECKEN

Telephone: +49 (0) 681 710 46
e-mail: info@fertan.com
Contact person: Bjoern Lang
Internet: www.fertan.com

Chemieberatung GmbH Tel.: +49(0)2534 6441185 Otto-Hahn-Str. 36 www.tge-consult.de

D-48161 Münster

1.4. Emergency telephone

number: Giftnotruf Berlin +49 (0) 30 30686 700 (24 h) (english and german)

### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## **Regulation (EC) No. 1272/2008**

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May be corrosive to metals.

Causes severe skin burns and eye damage.

Causes serious eye damage.

# 2.2. Label elements

# Regulation (EC) No. 1272/2008

# Hazard components for labelling

1-heptanol, 2-propyl, 7 EO; Fatty Alcohol ethoxylates

Signal word: Danger

Pictograms:



#### **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

according to Regulation (EC) No 1907/2006

# **FERTAN Motorreiniger**

Revision date: 23.11.2020 Product code: 71304 71404 Page 2 of 11

# **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

#### 2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

#### **Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
160875-66-1	1-heptanol, 2-propyl, 7 EO; Fatty Alcohol ethoxylates			12 - < 15 %
	605-233-7			
	Acute Tox. 4, Eye Dam. 1; H302 H318			

Full text of H and EUH statements: see section 16.

# Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants.

# **Further Information**

Product does not contain listed SVHC substances > 0,1 % according to Regulation (EC) No. 1907/2006 Article 59 (REACH)

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### **General information**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### After inhalation

In case of accident by inhalation: remove casualty to fresh air and keep at rest. In case of respiratory tract irritation, consult a physician. In the case of lung irritation: Primary treatment using corticoide spray, eg. Auxiloson spray, Pulmicort-dosage-spray. (Auxiloson and Pulmicort are registered trademarks).

#### After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing. In case of skin irritation, seek medical treatment.

#### After contact with eyes

In case of contact with eyes, rinse immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Subsequently consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Rinse mouth thoroughly with water. Let water be drunken in little sips (dilution effect).

according to Regulation (EC) No 1907/2006

# **FERTAN Motorreiniger**

Revision date: 23.11.2020 Product code: 71304 71404 Page 3 of 11

Observe risk of aspiration if vomiting occurs. Never give anything by mouth to an unconscious person or a person with cramps. When in doubt or if symptoms are observed, get medical advice.

### 4.2. Most important symptoms and effects, both acute and delayed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

### Suitable extinguishing media

The product itself does not burn. Co-ordinate fire-fighting measures to the fire surroundings.

### Unsuitable extinguishing media

High power water jet

#### 5.2. Special hazards arising from the substance or mixture

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2)

### 5.3. Advice for firefighters

In case of fire and/or explosion do not breathe fumes. In case of fire: Wear self-contained breathing apparatus.

#### Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

Co-ordinate fire-fighting measures to the fire surroundings.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment (refer to section 8).

Do not breathe vapour/aerosol. Avoid contact with skin, eyes and clothes.

#### 6.2. Environmental precautions

Do not allow to enter into surface water or drains. Prevent spread over a wide area (e.g. by containment or oil barriers). Do not allow to enter into soil/subsoil.

#### 6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents).

Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated objects and areas thoroughly observing environmental regulations.

#### 6.4. Reference to other sections

Safe handling: see section 7 Disposal: see section 13

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

### Advice on safe handling

Revision No: 1.0

Wear suitable protective clothing. ( See section 8. )

Conditions to avoid: aerosol or mist formation

Avoid contact with skin, eyes and clothes.

#### Advice on protection against fire and explosion

Usual measures for fire prevention.

#### Further information on handling

Advices on general occupational hygiene: See section 8.

#### 7.2. Conditions for safe storage, including any incompatibilities

#### Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Only use containers specifically approved for the

GB - EN

Print date: 23.11.2020

according to Regulation (EC) No 1907/2006

# **FERTAN Motorreiniger**

Revision date: 23.11.2020 Product code: 71304 71404 Page 4 of 11

substance/product.

Make sure spills can be contained (e.g. sump pallets or kerbed areas).

### Hints on joint storage

Do not store together with: Explosives. Oxidizing solids. Oxidizing liquids. Organic peroxides. Self-reactive substances and mixtures. Radioactive substances. Infectious substances.

# Further information on storage conditions

Recommended storage temperature: 20°C

Protect against: frost. UV-radiation/sunlight. heat. Humidity

### 7.3. Specific end use(s)

See section 1.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Additional advice on limit values

To date, no national critical limit values exist.

### 8.2. Exposure controls







# Appropriate engineering controls

Technical measures and the application of suitable work processes have priority over personal protection equipment.

Provide adequate ventilation.

# Protective and hygiene measures

When using do not eat, drink or smoke.

### Eye/face protection

Wear eye/face protection. BS/EN 166

# Hand protection

Wear suitable gloves.

Suitable material:

FKM (fluororubber). - Thickness of glove material: 0,4 mm

Breakthrough time >= 8 h

Butyl rubber. - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

CR (polychloroprenes, Chloroprene rubber). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

NBR (Nitrile rubber). - Thickness of glove material: 0,35 mm

Breakthrough time >= 8 h

PVC (Polyvinyl chloride). - Thickness of glove material: 0,5 mm

Breakthrough time >= 8 h

The selected protective gloves have to satisfy the specifications of EU Directive EC/2016/425 and the standard EN 374 derived from it.

Before using check leak tightness / impermeability. In the case of wanting to use the gloves again, clean them before taking off and air them well.

# Skin protection

Suitable protective clothing: Lab apron.

Minimum standard for preventive measures while handling with working materials are specified in the TRGS 500 (D).

according to Regulation (EC) No 1907/2006

# **FERTAN Motorreiniger**

Revision date: 23.11.2020 Product code: 71304 71404 Page 5 of 11

#### Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required.

Respiratory protection necessary at:

- -Exceeding exposure limit values
- -Insufficient ventilation. and aerosol or mist formation

Suitable respiratory protective equipment: particulates filter device (DIN EN 143). Type: P1-3

The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product. If the concentration is exceeded, self-contained breathing apparatus must be used.

### **Environmental exposure controls**

No information available.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: characteristic
Odour: characteristic

pH-Value: ca. 11,5

Changes in the physical state

Melting point:

Initial boiling point and boiling range:

Sublimation point:

No information available.

Sustaining combustion:

No data available

Flammability

Solid: No information available.

Gas: No information available.

**Explosive properties** 

none

Lower explosion limits:

Upper explosion limits:

No information available.

No information available.

No information available.

**Auto-ignition temperature** 

Solid: No information available.
Gas: No information available.
Decomposition temperature: No information available.

**Oxidizing properties** 

none

Vapour pressure: No information available.

(at 20 °C)

Vapour pressure: No information available.

(at 50 °C)

Density (at 20 °C): 1,032 g.cm<sup>-3</sup>

No information available

Bulk density:

Water solubility:

No information available.

completely miscible

according to Regulation (EC) No 1907/2006

# **FERTAN Motorreiniger**

Revision date: 23.11.2020 Product code: 71304 71404 Page 6 of 11

### Solubility in other solvents

No information available.

Partition coefficient: No information available. Viscosity / dynamic: No information available. No information available. Viscosity / kinematic: Flow time: No information available. No information available. Vapour density: Evaporation rate: No information available. No information available. Solvent separation test: Solvent content: No information available.

9.2. Other information

Solid content: No information available.

### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No information available.

#### 10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

# 10.3. Possibility of hazardous reactions

Refer to chapter 10.5.

# 10.4. Conditions to avoid

Protect against: UV-radiation/sunlight. heat.

# 10.5. Incompatible materials

Materials to avoid: Oxidizing agents, strong. Reducing agents, strong.

### 10.6. Hazardous decomposition products

Can be released in case of fire: Carbon monoxide Carbon dioxide (CO2)

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

### Toxicocinetics, metabolism and distribution

No information available.

## **Acute toxicity**

Based on available data, the classification criteria are not met.

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
160875-66-1	1-heptanol, 2-propyl, 7 EO; Fatty Alcohol ethoxylates				
	oral	ATE 500 mg/kg			

### Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye damage.

### Sensitising effects

Based on available data, the classification criteria are not met.

### Carcinogenic/mutagenic/toxic effects for reproduction

according to Regulation (EC) No 1907/2006

### FERTAN Motorreiniger

Product code: 71304 71404 Revision date: 23.11.2020 Page 7 of 11

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

The product has not been tested.

### 12.2. Persistence and degradability

The product has not been tested.

# 12.3. Bioaccumulative potential

No indication of bioaccumulation potential.

#### 12.4. Mobility in soil

No information available.

#### 12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

# 12.6. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

# 13.1. Waste treatment methods

## Disposal recommendations

Dispose of waste according to applicable legislation. Consult the local waste disposal expert about waste disposal. Non-contaminated packages may be recycled. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Control report for waste code/ waste marking according to (EWC) European Waste Catalogue:

# List of Wastes Code - residues/unused products

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

### List of Wastes Code - used product

200129 MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND

INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS; separately collected fractions (except 15 01); detergents containing hazardous substances; hazardous waste

# List of Wastes Code - contaminated packaging

WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND 150110

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); packaging containing residues of or contaminated by

hazardous substances; hazardous waste

### Contaminated packaging

Handle contaminated packages in the same way as the substance itself.

### **SECTION 14: Transport information**

### Land transport (ADR/RID)

UN 1719 14.1. UN number:

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

according to Regulation (EC) No 1907/2006

	FERTAN Motorreiniger	
Revision date: 23.11.2020	Product code: 71304 71404	Page 8 of 11

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C5
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

**14.1. UN number:** UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Classification code: C5
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1

Marine transport (IMDG)

**14.1. UN number:** UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8



Marine pollutant:NOSpecial Provisions:223, 274Limited quantity:5 LExcepted quantity:E1EmS:F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 1719

14.2. UN proper shipping name: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide)

14.3. Transport hazard class(es):814.4. Packing group:IIIHazard label:8

according to Regulation (EC) No 1907/2006

# **FERTAN Motorreiniger**

Revision date: 23.11.2020 Product 6604 71404 Page 9 of 11



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y841

Excepted quantity:

E1

IATA-packing instructions - Passenger:852IATA-max. quantity - Passenger:5 LIATA-packing instructions - Cargo:856IATA-max. quantity - Cargo:60 L

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

### 14.6. Special precautions for user

Safe handling: see section 7

Personal protection equipment: see section 8

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not relevant

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

2010/75/EU (VOC): No information available. 2004/42/EC (VOC): No information available.

Information according to 2012/18/EU Not subject to 2012/18/EU (SEVESO III)

(SEVESO III):

#### **Additional information**

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (amended by Regulation (EU) No 2020/878)

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

REACH 1907/2006 Appendix XVII, No (mixture): 3

## National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

# 15.2. Chemical safety assessment

For the following substances of this mixture a chemical safety assessment has been carried out:

### **SECTION 16: Other information**

## Changes

Rev. 1.0; Initial release: 23.11.2020

#### Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

**CAS Chemical Abstracts Service** 

CLP: Classification, Labelling and Packaging of substances and mixtures

**DNEL: Derived No Effect Level** 

according to Regulation (EC) No 1907/2006

# **FERTAN Motorreiniger**

Revision date: 23.11.2020 Product code: 71304 71404 Page 10 of 11

d: day(s)

EINECS: European INventory of Existing Commercial chemical Substances

ELINCS: European LIst of Notified Chemical Substances

ECHA: European Chemicals Agency EWC: European Waste Catalogue

IARC: INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals GefStoffV: Gefahrstoffverordnung (Ordinance on Hazardous Substances, Germany)

h: hour

LOAEL: Lowest observed adverse effect level

LOAEC: Lowest observed adverse effect concentration

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NOAEL: No observed adverse effect level

NOAEC: No observed adverse effect concentration

NLP: No-Longer Polymers

N/A: not applicable

OECD: Organisation for Economic Co-operation and Development

PNEC: predicted no effect concentration PBT: Persistent bioaccumulative toxic

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de

fer (Regulations Concerning the International Transport of Dangerous Goods by Rail )

REACH: Registration, Evaluation, Authorisation of Chemicals

SVHC: substance of very high concern TRGS: Technische Regeln für Gefahrstoffe

**UN: United Nations** 

VOC: Volatile Organic Compounds

# Classification for mixtures and used evaluation method according to Regulation (EC) No. 1272/2008 [CLP]

Classification	Classification procedure
Met. Corr. 1; H290	On basis of test data
Skin Corr. 1; H314	On basis of test data
Eye Dam. 1; H318	On basis of test data

## Relevant H and EUH statements (number and full text)

H290 May be corrosive to metals. H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

#### **Further Information**

Classification according to Regulation (EC) No 1272/2008 [CLP] - Classification procedure:

Health hazards: Calculation method. Environmental hazards: Calculation method.

Physical hazards: On basis of test data and / or calculated and / or estimated.

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

# FERTAN Korrosionsschutz Vertriebsgesellschaft mbH

# **Safety Data Sheet**

according to Regulation (EC) No 1907/2006

# **FERTAN Motorreiniger**

Revision date: 23.11.2020 Product code: 71304 71404 Page 11 of 11

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)